	Application No.	Applicant(s)
Notice of Allowability	09/963,593	OYAMA ET AL.
	Examiner	Art Unit
	David Sample	1755
The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MERIT herewith (or previously mailed), a Notice of Allowance (PTOI NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEL of the Office or upon petition by the applicant. See 37 CFR	S IS (OR REMAINS) CLOSED in L-85) or other appropriate commuNT RIGHTS. This application is s	n this application. If not included unication will be mailed in due course. THIS
1. 🗵 This communication is responsive to <i>the amendment</i>	filed May 4, 2004.	
2. ⊠ The allowed claim(s) is/are <u>6-8,12,15-18,21-25 and 3</u>	<u>1-33</u> .	
3. The drawings filed on are accepted by the Exa	miner.	5 - g/3
 4. Acknowledgment is made of a claim for foreign prior a) All b) Some* c) None of the: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority 	have been received. have been received in Application	on No
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		<i>;</i>
Applicant has THREE MONTHS FROM THE "MAILING DA noted below. Failure to timely comply will result in ABAND THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ONMENT of this application.	
 A SUBSTITUTE OATH OR DECLARATION must be s INFORMAL PATENT APPLICATION (PTO-152) which 		
 CORRECTED DRAWINGS (as "replacement sheets") (a) ☐ including changes required by the Notice of Drafts 		v / DTO 049) ottophod
1) hereto or 2) to Paper No./Mail Date _	•	v (F10-540) attached
(b) ☐ including changes required by the attached Exam Paper No./Mail Date		in the Office action of
Identifying indicia such as the application number (see 37 C each sheet. Replacement sheet(s) should be labeled as suc	CFR 1.84(c)) should be written on the high transfer of the header according to 37 CF	he drawings in the front (not the back) of R 1.121(d).
 DEPOSIT OF and/or INFORMATION about the cattached Examiner's comment regarding REQUIREMINED 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Inf	formal Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-9		ummary (PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/	Paper No./ /SB/08), 7. ⊠ Examiner's	Mail Date Amendment/Comment
Paper No./Mail Date		
	osit 8. 🛛 Examiner's	Statement of Reasons for Allowance

Application/Control Number: 09/963,593

Art Unit: 1755

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James Ledbedder on July 6, 2004.

The application has been amended as follows:

Claims 26-30 have been cancelled.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

Claims 6-8, 12, 15-18, 21-25, and 31-33 are allowed for the reasons already of record.

Upon further review, claims 26-30 have been cancelled to allow the remainder of the claims to be allowed. The claims were cancelled to prevent a rejection over the prior art. For example, US Patent No. 5,925,582 discloses a glass for use as a lamp envelope containing SO₃ in amounts that anticipate claims 26-30. See the Table in col. 4.

US Patent No's 6,649,443 ('443) and 6,744,207 ('207) have been made of record. Neither patent is prior art since the present application is entitled to the benefit of its foreign priority date. Moreover, neither patent is appropriate for instituting an interference.

Art Unit: 1755

The "two-way obviousness" test is required for instituting an interference. In other words, the claims of the present application must render obvious the claims of the patent, and vice versa.

The present claims do not disclose or suggest the amounts of BaO and SrO recited in the claims of the '443 patent.

The present claims do not disclose or suggest an "amber" glass as recited in the claims of the '207 patent. The attached plot shows the color coordinates of the two varieties of "amber" defined by the '207 application (col. 5, lines 55-67)¹; the yellow color coordinates (yellow and fog lamp yellow) recited in the present claims (e.g., instant claims 15, 16, 32, and 33); and the disclosed (but not claimed) yellow red (page 6, paragraph 1). As can be seen from the plot, there is no overlap between the presently claimed color coordinates and the amber as defined by the '207 patent. The "yellow-red" of the instant application overlaps the amber defined by the '207 application, but this "yellow-red" glass is not claimed. It is noted that some of the present claims (instant claims 25 and 31) recite a glass without reciting a color. These claims do not suggest that the glass is amber, and it would not have been obvious to one of ordinary skill in the art at the time the invention was made to have formed an amber glass.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

¹ The specification is used for the interpretation of the word "amber" in the claims of the '207 patent.

Art Unit: 1755

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Sample whose telephone number is (571)272-1376. The examiner can normally be reached on Monday to Thursday and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Bell can be reached on (572)272-1362. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner
Art Unit 1755